STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



Facility Information

Permit Number: 13-48-10726

Name of Facility: Parkway Elementary/ Loc.# 4341

Address: 1320 NW 188 Street

City, Zip: Miami 33169

Type: School (more than 9 months)

Owner: MDCPS

Person In Charge: MDCPS Phone: (786) 275-0400

PIC Email: mcgarcia@dadeschools.net

Inspection Information

Purpose: Routine

Inspection Date: 9/27/2023

Correct By: Next Inspection Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 0 Number of Repeat Violations (1-57 R): 0

FacilityGrade: N/A

StopSale: No

Begin Time: 08:30 AM End Time: 09:40 AM

RESULT: Satisfactory

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- 2. Certifled Manager/Person in charge present EMPLOYEE HEALTH
- IN 3. Knowledge, responsibilities and reporting
- N 4. Proper use of restriction and exclusion
- No. 1 Separating to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- N 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & property washed
- IN 9. No bare hand contact with RTE food
- 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction
- PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- N 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN 18. Cooking time & temperatures
- NO 19. Reheating procedures for hot holding
- N 20. Cooling time and temperature
- NO 21. Hot holding temperatures NO 22. Cold holding temperatures
- N 23. Date marking and disposition
- IN 24. Time as PHC; procedures & records CONSUMER ADVISORY
- NA 25. Advisory for raw/undercooked food HIGHLY SUSCEPTIBLE POPULATIONS
- No prohibited foods used; No prohibited foods ADDITIVES AND TOXIC SUBSTANCES
- IN 27. Food additives: approved & properly used
- 28. Toxic substances identified, stored, & used APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

13-48-10726 Parkway Elementary/ Loc.# 4341

1 of 3

STATE OF FLORIDA DEPARTMENT OF HEALTH **COUNTY HEALTH DEPARTMENT** FOOD SERVICE INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing FOOD TEMPERATURE CONTROL
- NO 33. Proper cooling methods; adequate equipment
- NO 34. Plant food properly cooked for hot holding
- NO 35. Approved thawing methods
- IN 36. Thermometers provided & accurate
- FOOD IDENTIFICATION
- N 37. Food properly labeled; original container
- PREVENTION OF FOOD CONTAMINATION IN 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables
- PROPER USE OF UTENSILS
- IN 43. In-use utensils: properly stored IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- **IN** 46. Slash resistant/cloth gloves used properly **UTENSILS, EQUIPMENT AND VENDING**
- OUT 47. Food & non-food contact surfaces
 - IN 48. Ware washing: installed, maintained, & used; test strips
 - IN 49. Non-food contact surfaces clean
 - PHYSICAL FACILITIES
 - IN 50. Hot & cold water available; adequate pressure
 - IN 51. Plumbing installed; proper backflow devices
 - IN 52. Sewage & waste water properly disposed
 - IN 53. Toilet facilities: supplied, & cleaned
 - IN 54. Garbage & refuse disposal
 - IN 55. Facilities installed, maintained, & clean
 - IN 56. Ventilation & lighting
 - N 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #47. Food & non-food contact surfaces

Observations:

1. 3-Door Refrigerator. PC # 1068091. Unit not cooling properly. Work Oder # 4368275.

Repair and/or replace 3-Door Refrigerator.

CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

General Comments

Food Inspection:

Maria Fernandez (Principal) and Victoria Curry (Kitchen Manager), assisted with inspection.

Handwash Sink: Water temperature 112.6°F.

Three (3)-sink compartments: Water temperature 116.4°F.

Refrigerator temperature 34°F.

Freezer temperature -4°F.

Cold-holding: Strawberry milk temperature 39.2°F (from Milk-box).

Hot-holding: Cheese bites temperature 182.8°F.

Hot-holding: seasoned fries temperature 180.8°F.

Email Address(es): mcgarcia@dadeschools.net;

315009@dadeschools.net;

ipalacio@dadeschools.net;

wcabrera@dadeschools.net;

mwertz@dadeschools.net

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

13-48-10726 Parkway Elementary/ Loc.# 4341

2 of 3

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



Inspection Conducted By: Alberto Reyes (032763) Inspector Contact Number: Work: (305) 623-3500 ex.

Print Client Name: Date: 9/27/2023

Inspector Signature:

AL

Client Signature:

Form Number: DH 4023 03/18

13-48-10726 Parkway Elementary/ Loc.# 4341